

Designed to comply with Plumbing and Drainage Act 2002

Services designed to comply with  
*Cold Water* to AS3500.1.2  
*Hot Water* to AS3500.4.2  
*Sanitary Plumbing & Drainage* to AS3500.2.2

A	05.03.10	preliminary issue	VA
B	27.01.11	revised issue	VA
C	01.10.11	coordination issue	BD
D	06.12.11	revised coordination issue	BD

RPD

PROPERTY OWNER



UNIT B5  
COMMERCIAL COURT  
130 KINGSTON RD QLD 4119  
PO BOX 220 ROCHEDALE SOUTH 4123

P: (07) 3208 5233  
F: (07) 3208 5244  
E: admin@aqualogical.com.au  
W: www.aqualogical.com.au

QBSA License No: 1099893  
A.C.N.: 116 871 544  
A.B.N.: 241 1687 1544

ISO 9001  
www.intlcert.com  
JAS-ANZ  
G  
AHSCA  
The Association of  
Hydraulic Services Consultants Australia

PROJECT  
**PROPOSED UNITS 7 & 8  
EAST HILLS**

**HYDRAULIC SERVICES  
GROUND & LEVEL 1**  
• Drainage Layout




DESIGN **R.OMALLEY** VALIDATED **A.FREEMAN**




SCALE **1:50 @ A1** **1:100 @ A3**

**A091212 H-101 D**



**LEVEL 1 PLAN  
DRAINAGE SERVICES**  
SCALE 1:100



**GROUND PLAN  
DRAINAGE SERVICES**  
SCALE 1:100

- NOTES:**
1. DOWNPIPE TO HAVE LEAF EATER RAINHEAD INSTALLED AT HIGH LEVEL WITH A 40MM AIR GAP BETWEEN RAINWATER HEAD AND DOWNPIPE
  2. IN-GROUND RAINWATER TANK TO HAVE REMOVABLE/ACCESSIBLE LID
  3. 450 SQUARE SWIP WITH CLASS 'B' GRATE & FRAME
  4. TEMPERATURE RELIEF VALVE DISCHARGE FROM SOLAR UNITS ON ROOF ABOVE IS TO COLLECT & DISCHARGE VIA HDPE DROPPER.